

What is Peer Review?

In brief: An instructor sets students an assignment. After students have submitted their assignment, they provide comments on submissions from other students. Once the review process is complete, students read the comments their peers have made on their own submission.

Peer Review in Aropä:

- The instructor specifies the requirements for submission (for example, a pdf file, a PowerPoint file etc.), the closing date for submissions, and the closing date for reviews.
- The instructor defines a rubric to guide students in their reviewing, and indicates how many assignments each student should review.
- Students login to Aropä to upload their assignment submissions.
- After the submission deadline, students log in to Aropä to review other students' submissions online using the specified rubric.
- After the review deadline, students log in to Aropä to see other students' reviews of their own work, as well as all reviews of the submissions that they themselves have reviewed.
- If the rubric has included quantitative judgements (e.g. allocation of marks, or Likert scales), the instructor can download marks for each submission. The instructor can also download all submissions together with their associated reviews.

Getting Started

To register with Aropä, contact John Hamer (john.hamer@glasgow.ac.uk), Helen Purchase (helen.purchase@glasgow.ac.uk), or Matt Barr (matthew.barr@glasgow.ac.uk). If you are from Glasgow University, please provide your GUID in your request.

- On registering, an **Aropä Class** will be created for you – this will typically be a 'Test' class, called, for example MANDY-TEST or DAVID-TEST
- You will be allocated a login name and password (unless you are the University of Glasgow, when you will be able to login with your usual university system login name and password).
- Access Aropä at: <http://aropa.gla.ac.uk/>. Note that Aropä tends to work better with a browser that is not Internet Explorer – we suggest you use Google Chrome or Firefox if you can.

The Aropä documentation page (aropa.gla.ac.uk/docs) has useful information for both instructors and students, as well as links to a series of videos demonstrating common tasks and features.

Use of Aropä is free, but please be aware that fully anonymised, aggregated usage statistics may be reported in research publications. No individual student identifiers or content from any student reviews or submissions will ever be referred to (anonymised or otherwise). If you have any queries about this, please contact Helen Purchase.

Classes

An **Aropä Class** is the primary organising object in Aropä – all activity happens within a Class.

Each Class has several people associated with it:

- An owner, who is a registered Aropä user.
- One or more instructors. The owner will always be an instructor. Instructors do not review students' assignments.
- Zero or more markers. Markers can review (but not submit) students' assignments.
- Zero or more guests. Guests can look at, but not modify, the information in a class. Student identifiers are anonymised for guests.

Each Class is associated with a list of students:

- The students would usually be represented by their student identifiers.¹
- Typically, but not always, the students in a Class will be all the students on the class list for a taught course within a specified semester or term. However, it could also be a tutorial group, or a combination of students from more than one taught course.

The screenshot shows the Aropä web interface. At the top, there is a green header with the Aropä logo and the text 'You are logged in as hcp1u'. Below the header, the page title is 'Class list for AROPA TEST CLASS'. The main content area is divided into two sections: 'Students' and 'Non-students'. The 'Students' section contains a list of student identifiers: hcp1u1, hcp1u2, hcp1u3, hcp1u4, hcp1u5, hcp1u6, hcp1u7, hcp1u8, hcp1u9, hcp1u10, hcp1u11, hcp1u12, and hcp1u13. Below this list is a 'Load class list' button. The 'Non-students' section contains a table for adding new users. The table has four columns: 'Identifier', 'Role', 'Guest', and 'Marker'. The 'Role' column has buttons for 'instructor', 'guest', and 'marker'. The 'Marker' column has a 'marker' checkbox. The table contains several rows of user information, including 'hcp1u', 'gr15v', 'lr15a', 'hcp1u-marker', 'gr15v-marker', and an empty row. At the bottom of the page, there is a 'Quick marker entry' section with 'Save' and 'Cancel' buttons.

Within each Class, any number of assignments can be created. The students in the Class can upload submissions for the assignments, and will review the submissions from other students in the Class.


¹ At the University of Glasgow, the identifiers used should be the GUID for staff (e.g. hcp1u), and the student number with or without the trailing surname initial for students (e.g. 1108288p or 1108288)

Creating a Class

Registered users can create (and name) new Aropä Classes (**'Add a new class'**). It is a good idea to include the taught course name that the class is associated with:

- Course code or name
- Semester
- Year

For example: "CS101, S2 2021", or "MedSci, Term2, 2020", or "Veterinary Science 2, S2 2022"



You should also indicate (in the drop down list) the subject area your class relates to. ²

Once a class has been created, you will need to specify the people associated with it (**'Edit class list'**).

Student identifiers can typically be cut-and-pasted from class lists provided by your institution – one per line. The list can be updated at any time during the course of your assignment. It is better to add new student names to the list rather than delete ones that are already there: Aropä will simply ignore the ids of students in the class list who are not active.

In all cases, people are identified by an id which must be a string of alphanumeric characters. It can include hyphens, dots and underscores, but not spaces, commas or semicolons. For example, **hpur005**, **hcp37**, **1108288p**, **hcp-marker** are all acceptable ids, but **Helen Purchase** is not.

If one person is going to take on two roles (for example, an instructor may also wish to be a marker), then that person should be given two different ids; for example: **hcp** and **hcp-marker**. This is because the system provides a different interface depending on the role of the user: the instructor interface is different to the student interface and the marker interface. Since these are new ids, they will need to have their own password created by the class owner (use **'Reset Password'** to set the password for these ids).

² If your subject is not there, please let us know: we can easily add it!

Student access to Aropä

If institutional authentication is available, students log in using their normal username and password: currently, this applies only to the University of Glasgow (GUID).

For other institutions, the instructor should set an 'access code' (an alphanumeric string) for each class ('**Edit class details**') that can be given to the students. The students can then login to Aropä using the student id that the instructor has used to register students in the class list, and this access code as the password. They will be asked to set their own password – this new password can then be used for all future access to Aropä using the student id.

Setting up an Assignment

You can create as many assignments as you like within a Class ('**Create assignment**'). Each assignment must have the following information (use '**Edit assignment**' if it needs to be modified at a later date):

- (a) A **name** for identification (e.g. "Assignment 1", "Greek Hero Assignment")
- (b) **Dates**: a submission deadline and a review deadline

(c) **Submission instructions**:

- Text that tells the students what to submit (in terms of the number and nature of files uploaded);
- Information that tells Aropä what types of files to expect.

There is an alternative submission option where students can cut-and-paste text directly into Aropä instead of uploading files: this method is recommended for submissions that use simple formatting only (paragraphs, section headings, itemised lists), but no diagrams or tables.

(d) **Reviewing and feedback options**:

- Showing marks in the feedback. Authors can either see (a) the reviewers' comments only, or (b) the reviewers' comments as well as the marks given. Option (a) is useful if you want reviewers to award quantitative marks as well as qualitative feedback, but want authors to see the qualitative feedback only.
- Feedback can be restricted depending on how many reviews the author completes. You can specify that an author must complete (a) at least one or (b) all assigned reviews before they can access their own reviewers' comments – or that they can (c) see the comments on their own work even if they do not submit any reviews themselves. (a) and (b) can be useful as incentive for students to write reviews.
- The author's identity may or may not be revealed to reviewers. Reviewers' identity is never revealed.
- Authors may or may not be able to review their own work: in this case, their own submission is also allocated to them, and they review it using the same rubric as they use for their peers' submissions.

At this point you can save these details, and if necessary edit them at a later date. There are less commonly used options below the first set of save/cancel buttons. The '**Review Marking**' option allows you to create a supplementary assignment that enables you to assess the quality of reviews. More information on how to do this can be found in the **Other Features** section of this guide.

(e) **A marking rubric** ('**Create rubric**'). A rubric may be created by:

- Selecting an existing rubric from the drop down list, and using it as it is; or
- Selecting an existing rubric from the drop down list, and editing it for your own purposes; or
- Creating a new rubric from scratch using the editor (the appendix shows how this can be done).³

³ Please do not worry if the rubric takes a few seconds to load, and if it briefly shows some text on the rubric panel – this is normal!

Specifying the Peer-review process

Each submission (created by a student **author**) will be reviewed by at least one other student **reviewer**. You will need to define how each submission will be allocated to at least one reviewer (**'Specify allocations'**).

There are a range of different **allocation methods** that can be used.

- Normal: reviewers are allocated randomly to the submissions
- By Groups: students are divided into groups, and there is only one submission per group. Any student in the group can submit their group's assignment to Aropä.
- Tags: a list of tags is specified, and authors indicate when they upload their submission which tag their work is associated with. Tags must be a string of alphanumeric characters. They can include hyphens, dots and underscores, but not spaces, commas or semicolons. Thus, **coliseum-essay**, **SocratesEthics**, and **labours_of_hercules** are fine, but **Helen of Troy** is not. Tags must be separated by a space, semi-colon, or comma. Once tags have been specified:
 - Reviewers can be randomly allocated submissions with the same tag as their own, or
 - Reviewers can be randomly allocated submissions with a different tag to their own⁴
- Manually: the instructor types in each submission-reviewer pair manually




Allocation parameters need to be set (**'Specify allocations'**), including:

- Specifying who the authors are (students and/or non-student authors listed).
- Specifying who the reviewers are (only those who submit, everybody, or just markers).
- The number of reviews each student should do.
- Indicating whether the submissions should also be reviewed by markers (where markers are specified in the Class List)

Allocation records will be created automatically after the submission deadline. An allocation record is a pairing between a student reviewer and another student's submission. When the students next login to Aropä after the submission deadline, they will see the submissions that they are to review.

The **Assignment Home Page** shows all the key details about a particular assignment, as below.

⁴ Note that in this option unless there are exactly the same numbers of submissions for each tag specified, then it will be impossible to satisfy this criterion completely. In the case where the distribution of submissions is unequal, Aropä will minimise the number of students who will have to review an essay with the same tag as their own submission.



The Submission and Review process

Activation: The assignment must be activated by the instructor (press the blue '**Activate**' button in the top left corner) before the date on which students are expected to start submitting their assignments. Inactive assignments are shown by a red dot on the main class page. Inactive assignments are not seen by students in the class at all.

Before the submission deadline:

- Students can upload their submissions.
- They can look at their submission to confirm that it has been uploaded correctly, and at any time before the deadline, they can amend their existing submission. Note that once a submission has been made, it cannot be deleted.⁵

After the submission deadline:

- Aropä will create allocation records: these are associations between students' submissions and reviewers
- Students can review their peers' submissions using the specified rubric

The instructors can view the progress of the submissions and reviews during the course of the assignment. ('**Monitor submissions**', '**Monitor reviewing**')

After the review deadline:

- Students can see the feedback on their submission from other students;
- Students can see other students' comments on the submissions that they reviewed themselves.

⁵ Of course, an existing submission can be replaced by an empty document. We do not allow for submissions to be deleted in any stage of the process: this is to ward against students who claim that they have submitted a document but 'the system lost my submission'.

Rolling over to next year (Copying a class)

Each Aropä Class is associated with one cohort of students, and is typically in use for the duration of one semester or term (occasionally for an entire academic year). These students need to be able to access their submissions and reviews after the end of the semester. For example, the students registered for the “PPCS, Sem1, 2020/21” Aropä Class should be able to access their submissions and reviews during the 2021/22 academic year (and beyond).

Using Aropä for the next cohort of students the following semester or year therefore requires that a new Aropä Class be created. To do this, the existing class can be copied using **‘Copy this class’** option with a new name and new access code. Thus a new “PPCS, Sem1, 2021/22” will be created by the instructor, and a new class list needs to be added. Assignments from the previous class will be copied over, and will retain the existing format - such as the rubric and submission instructions: these can be changed if necessary. New submission and review deadlines will need to be set.

When things do not quite go as planned

Logging in problems

Students sometimes have problems logging in. Common reasons for this are:

- The student has forgotten their password. Instructors can reset a student’s password (**‘Reset Password’**)
- The student’s id has not been included in the class list. New students can be added:
 - any time before the submission deadline by updating and saving the class list (**‘Edit class list’**);
 - after the submission deadline by giving that student an extension – this will automatically add the student to the class list.
- If the students in the class have not used Aropä for some time, and there is a chance that many of them may have forgotten their password, then press **‘Reset Class Access’** – this will allow them to use the Access Code as an alternative password. They should be advised to reset their own password immediately.

Extensions

Students often ask for extensions, so that they can submit their work after the submission deadline, or write their reviews after the review deadline:

- Individual extensions can be given to submission and reviewing dates. (**‘Manage student extensions’**). Note that reviewing allocations for late submissions are automatically managed by the system.⁶
- Extensions that apply to all students can be applied by changing the appropriate assignment submission and reviewing deadlines.
- Extensions can be deleted by deleting the user ID from the input box and clicking the **‘Save’** button.

I see what you see

Sometimes it is useful to see exactly what a student sees – instructors can view the system from another person’s point of view (**‘Impersonate other user’**). Note that any actions taken (submitting, reading or reviewing submissions) when impersonating another user will be recorded as if that user has taken that action themselves.

⁶ Aropä will re-do the allocation process whenever a submission extension is given, which will usually mean changing some of the existing allocations. It cannot, however, change an allocation after the submission date when the reviewer has already read or reviewed the submission. This has the side effect that if extensions are given very late after the submission deadline, most of the existing allocations will not be able to be changed – the result of this may be unequal allocations (for example, one or more students may have to do more than the specified number of reviews).

Other Features

Marking by tutors: If users are given 'marker' status ('**Edit class list**'), then they will appear as potential markers when the allocation parameters are set up ('**Specify/Change allocations**'). This means that submissions can be marked by tutors as well as peers.

Adjusting allocations: If you are not happy with the allocations (and this may happen if several extensions have been given), you can amend them ('**Specify/Change allocations**').

Review marking: A secondary assignment can be created that allows the reviews themselves to be marked (near the bottom of '**Edit assignment**', followed by '**Create review assignment**' on the main assignment page). At the review deadline, the reviews from the main assignment will automatically become the submissions for this review-marking assignment, and a new rubric can be defined for evaluating the quality of the reviews.

Aropä Peer review made easy
You are logged in as hcp-super - GLA >> LOGOUT
Home / *HCP1U-TEST / new assignment

Review marking for new assignment

This page allows the details for a 'review marking' assignment to be specified. This allows markers to mark existing reviews.

Main details
Review marking ends
Review marking ends
This date must be after 7:35am Friday 29 Jul 2016

Reviewing and feedback
Anonymous review
 Reviewer identity will not be revealed to markers.
 Reviewer identity will be revealed to markers.

Show marks in feedback
 Reviewers should see comments and marks in the feedback from the markers
 Reviewers should see comments only in the feedback from the markers

When specifying the allocations for a review marking assignment, you can specify whether markers will mark reviews of their own work (effectively enabling a 'response to reviewers' comments' facility), randomly allocated reviewers (based on the set of reviews), or randomly allocated individual reviews.

Aropä Peer review made easy
You are logged in as hcp-super - GLA >> LOGOUT
Home / *HCP1U-TEST / Reviewer marking for new assignment

Allocations: Reviewer marking for new assignment (#9965)

Review markers are
 Everyone who reviewed in the original assignment
 Everyone who submitted in the original assignment
 Just the selected markers below

Review markers will mark
 Reviews of their own work
 The reviews written by reviewers
 A random selection of reviews

Allocation records will be created after the original assignment reviewing deadline

Aropä Peer review made easy
You are logged in as hcp-super - GLA >> LOGOUT
Home / *HCP1U-TEST / Reviewer marking for new assignment

Allocations: Reviewer marking for new assignment (#9965)

Review markers are
 Everyone who reviewed in the original assignment
 Everyone who submitted in the original assignment
 Just the selected markers below

Marking team
 [Select all]
 marker4
 marker3
 marker2
 marker1

An equal share of reviews
 An equal share of reviewers

Allocation records will be created after the original assignment reviewing deadline

Downloading submissions and reviews: All reviews for an assignment can be downloaded as a formatted Word document or as an Excel spreadsheet. All submissions can be downloaded into folders named after the student identifier; the reviews of each submission are also stored in the folder.

Downloading marks: Once the reviewing process is over, you can see the marks for each student (**'View marks'**) – these are based on the marks given by reviewers to radio buttons used in the rubric. The number of marks allocated for each radio button can be set (**'Label rubric'**). The aggregate marks for each student can be downloaded in Excel (aggregating over all reviewers, by mean, median or mode), or all the individual marks from each reviewer can be downloaded.



Author	Aggregate mark	Reviews	Discrepancy
stud-07	33.17	3	2.17
stud-10	28.00	3	1.67
stud-11	21.00	3	0.33
stud-12	13.00	3	0.67
stud-20	14.33	3	1.67

Eliminating 'rogue reviewers': The 'discrepancy' value (**'View marks'**) indicates the extent to which reviewers have disagreed over the quality of a student's submission. By clicking on the student's id, you can see the marks given by all the reviewers, and, indicate whether you wish the marks of any of the reviewers to be ignored in the calculation of the student's final mark.

Surveys: Surveys can be created for a class (**'Create survey'**) which has a name, start date and an optional end date. Like the assignment and review assignment this can have a rubric that already exists or a new one. **'View results'** shows a summary of the results submitted, while **'Show results details'** is a break-down of results from all participants. Results can be downloaded (**'Download results'**) in csv format.

Deleting an assignment: If you really want to totally remove an assignment, then the **'Delete assignment'** button will appear when you make it inactive. Most of the time, though, all you would probably want to do is hide the assignment from students by making it inactive (press the red button) – students do not see inactive assignments. Alternatively, you can simply remove all the submissions in the assignment.

Access via Moodle (University of Glasgow only): Aropä is available from Moodle by inserting a new activity of type **'External Tool'** and then selecting **'Aropä'** in the drop-down list labelled **'External Tool Type'**. The **'Launch URL'** field should be left blank.

About Aropä

Aropä is a web-based system designed by Dr John Hamer and Dr Helen Purchase to support peer review activities in large, undergraduate classes: it is maintained by Dr John Hamer, and supported by Dr Helen Purchase and Dr Matt Barr. The tool has been used for over twelve years, initially in an introductory programming course and subsequently in a wide range of subjects, including Commercial Law, English, Music, Engineering, Film and Television, Information Management, Marine Science, Pharmacology, Biomolecular Science, Classics, Management, and Population Health. It is hosted at two sites: the University of Auckland and the University of Glasgow, and actively used worldwide by several other institutions. Use of Aropä is free.

Any questions?

Contact John Hamer (john.hamer@glasgow.ac.uk), Helen Purchase (helen.purchase@glasgow.ac.uk) or Matt Barr (matthew.barr@glasgow.ac.uk).

Visit www.dcs.gla.ac.uk/~hcp/aropa

Appendix: Creating a rubric⁷

Creating the rubric is arguably the most important part of the peer-review process, as it determines both how the reviewers will read and think about their peers' submissions, as well as the nature of the feedback the authors will receive.

Aropä uses a WYSIWYG editor that has been adapted specifically for rubric creation. As the editor is WYSIWYG, the student reviewers will see exactly what you see when you create the rubric.

Rubrics

Every rubric must have at least one input element: there are two types of input elements in the editor, available under the Aropä drop-down list in the editor:

- Radio buttons (the reviewer must select one of a set of options)
- Comment boxes (the reviewer must type text into the comment box)
- File upload (there will be a button in the rubric that the reviewer can use to upload a file)


Radio buttons will always appear in a **group**. For example, reviewers might be asked to use a group of three buttons to indicate whether an essay is



You can use several groups of radio buttons in one rubric, where each group must be separated by either:

- a Divider (found in the Aropä drop-down menu in the editor), or
- a Comment box


The editor panel will automatically colour-code alternate groups of radio buttons, ensuring that it is clear which button belongs to which group:



⁷ Please do not cut-and-paste your rubric from a Word document or from previous (pre-2010) versions of Aropä.

After you have created the rubric, you can label the sections within it, and associate marks with the radio buttons ('Label rubric'). This is particularly useful when you wish to confirm that radio buttons are associated with each other correctly, and if the marks given to the radio buttons are important in calculating final marks.

The rubric editor also allows you to specify that the reviewer can upload a file into the rubric – this is useful, for example, if you want the student to annotate the submission by hand, and then scan and load it, or if you want the reviewer to load in a picture from another file.



The screenshot shows a rich text editor interface with a menu bar (Edit, Insert, Format, Table) and a toolbar containing various formatting options like bold, italic, text alignment, and list creation. The main content area contains the following text:

Review of Basket Weaving Essay


If you wish to prepare your comments in a separate file, you can do so, and then upload the file here:

No file chosen

Otherwise, please comment on the essay below, focussing on the extent to which it makes a convincing case for Basket Weaving as an appropriate Olympic sport.


Below the text is a large, empty grey rectangular area intended for the reviewer's comments.

It is also possible to include images in a rubric:



The screenshot shows the same rich text editor interface as above. The main content area contains the following text and diagram:

The correct configuration is:



Comment on whether the author has correctly defined the configuration, and give advice on how to improve it:

Below the text and diagram is a large, empty grey rectangular area intended for the reviewer's comments.