

AppTracker1 analysis

Oana Andrei

Interpreting the results. For a given data set, a value for K , and inferred model (either PAM or GPAM), we model check properties for each of the activity patterns. To aid interpretation of the quantitative results, we order them from “best” to “worst”, which is greatest to least value for **VisitProb** and **VisitCount** and the least to greatest value for **StepCount**. We encode the ordering using colours for maximum five activity patterns thus: blue, purple, orange, green, black, ranging from “best” results to “worse” results respectively. If the result of model checking a reward-based property does not produce a number (due to state unreachability, or filter satisfying no states, or the iterative method not converging within 100,000 iterations) this is denoted by “—”.

The unit for the time intervals is days. For simplicity, assume $N = 50$ for all time-bounded properties.

Table 1: Properties VP_{initAP} , VC_{initAP} , and SC_{initAP} for PAM with $K = 2$

Prop.	Time interval	OverallUsage		StackedBars		PeriodSelector		Stats	
		AP1	AP2	AP1	AP2	AP1	AP2	AP1	AP2
VP _{init}	[0,1]	0.99	0.98	0.31	0.95	0.08	0.83	0.99	0.70
	[0,7]	0.99	0.98	0.16	0.96	0.00	0.89	0.99	0.68
	[0,30]	0.98	0.99	0.97	0.32	0.90	0.09	0.65	0.98
	[30,60]	0.99	0.96	0.54	0.97	0.74	0.76	0.19	0.84
	[60,90]	0.99	0.91	0.00	0.98	0.15	0.93	0.86	0.65
VC _{initAP}	[0,1]	11.18	5.83	0.37	2.87	0.11	2.11	5.84	1.55
	[0,7]	11.95	5.27	0.17	3.36	0.00	3.10	4.61	1.61
	[0,30]	5.35	12.02	3.58	0.38	3.50	0.10	1.49	4.13
	[30,60]	10.44	5.69	0.81	4.18	4.52	1.55	0.20	3.15
	[60,90]	12.95	4.76	0.00	4.55	0.45	3.38	1.86	2.06
SC _{initAP}	[0,1]	3.43	11.40	135.57	16.93	579.40	28.45	8.82	41.49
	[0,7]	2.87	12.43	285.70	14.29	—	22.40	10.73	43.46
	[0,30]	12.34	2.91	13.33	131.99	21.55	519.32	48.15	12.02
	[30,60]	3.53	12.72	65.08	11.44	36.78	35.29	240.77	27.52
	[60,90]	2.30	19.73	—	10.28	300.63	17.67	25.80	48.13

Table 2: Properties VPinitAP, VCinitAP, and SCinitAP for PAM with $K = 3$

Prop.	Time interval	OverallUsage			StackedBars			PeriodSelector			Stats		
		AP1	AP2	AP3	AP1	AP2	AP3	AP1	AP2	AP3	AP1	AP2	AP3
VPinit	[0,1]	0.91	0.99	0.99	0.99	0.00	0.00	0.96	0.00	0.00	0.26	0.85	0.99
	[0,7]	0.86	0.99	0.99	0.98	0.00	0.71	0.97	0.00	0.00	0.36	0.99	0.85
	[0,30]	0.88	0.99	0.99	0.97	0.76	0.16	0.98	0.00	0.00	0.34	0.84	0.99
	[30,60]	1.00	0.84	0.95	0.00	0.98	0.76	0.00	0.90	0.75	0.00	0.04	0.92
VCinitAP	[60,90]	0.44	0.99	0.96	0.99	0.00	0.75	0.08	0.13	0.93	0.45	0.81	0.78
	[0,1]	5.29	5.72	11.42	5.07	0.00	0.00	4.33	0.00	0.00	0.58	2.08	6.46
	[0,7]	4.55	11.87	6.22	4.35	0.00	1.21	6.50	0.00	0.00	0.90	5.02	2.15
	[0,30]	4.79	6.11	12.27	4.11	1.41	0.17	7.44	0.00	0.00	0.79	2.16	4.37
SCinitAP	[30,60]	13.03	5.68	5.06	0.00	5.61	1.58	0.00	6.31	1.18	0.00	0.06	4.98
	[60,90]	0.83	12.37	8.46	9.49	0.00	1.59	0.38	0.27	3.56	0.82	1.59	4.25
	[0,1]	19.88	9.97	2.73	9.47	—	—	15.10	—	—	157.13	26.87	6.96
	[0,7]	24.92	2.55	8.63	10.89	—	40.78	12.55	—	—	108.91	9.31	26.75
SCinitAP	[0,30]	22.78	8.80	2.44	11.46	34.97	277.88	11.47	—	—	115.82	28.01	10.80
	[30,60]	1.99	26.09	12.59	—	8.11	41.90	—	20.82	36.22	—	1094.65	20.57
	[60,90]	85.53	2.31	13.29	4.10	—	35.19	543.47	321.42	14.76	84.53	30.34	33.99

Table 3: Properties VPinit_{AP}, VCinit_{AP}, and SCinit_{AP} for PAM with $K = 4$

Prop. interval	Time	OverallUsage				StackedBars				PeriodSelector				Stats			
		AP1	AP2	AP3	AP4	AP1	AP2	AP3	AP4	AP1	AP2	AP3	AP4	AP1	AP2	AP3	AP4
VPinit _{AP}	[0,1]		0.99	0.63	0.99	0.99	0.00	0.98	0.00	0.00	0.00	0.98	0.00	0.00	0.36	0.19	0.97
	[0,7]		0.99	0.98	0.60	0.99	0.00	0.71	0.99	0.00	0.00	0.38	0.99	0.00	0.87	0.64	0.27
	[0,30]		0.66	0.99	0.99	0.99	0.98	0.32	0.10	0.84	0.99	0.00	0.00	0.00	0.12	0.99	0.80
	[30,60]		1.00	0.94	0.46	0.98	0.00	0.71	0.99	0.11	0.00	0.86	0.14	0.39	0.00	0.13	0.01
VCinit _{AP}	[60,90]		0.96	1.00	0.98	0.00	0.83	0.00	0.24	0.99	0.97	0.00	0.15	0.00	0.89	0.53	0.00
	[0,1]	5.77	3.36	12.59	5.98	5.98	0.00	5.43	0.00	0.00	0.00	4.16	0.00	0.00	0.47	0.39	4.63
	[0,7]	6.46	14.59	1.09	12.01	12.01	0.00	1.59	5.18	0.00	0.00	0.77	8.77	0.00	2.21	1.90	0.53
	[0,30]	2.71	8.28	13.49	5.69	5.69	4.78	0.38	0.10	1.79	8.76	0.00	0.00	0.00	0.26	6.62	1.61
SCinit _{AP}	[30,60]	12.50	12.53	0.68	5.11	5.11	0.00	1.52	10.26	0.12	0.00	7.45	0.15	0.48	0.00	0.26	0.02
	[60,90]	6.09	12.48	22.28	0.00	0.00	1.89	0.00	0.34	10.77	4.97	0.00	0.23	0.00	6.00	0.74	0.00
	[0,1]	9.48	50.20	2.43	7.44	7.44	—	9.11	—	—	—	10.85	—	—	109.42	227.14	13.77
	[0,7]	8.17	9.63	55.33	2.42	2.42	—	40.40	8.54	—	—	120.53	8.27	—	25.52	48.22	159.14
SCinit _{AP}	[0,30]	46.70	—	2.05	9.14	9.14	9.40	128.48	475.49	27.60	8.55	—	—	—	380.56	—	31.32
	[30,60]	1.97	13.88	82.87	—	—	—	39.87	3.64	—	—	21.68	313.80	99.45	—	347.01	—
	[60,90]	14.59	2.00	6.08	—	—	27.53	—	—	3.54	11.38	—	—	—	22.37	64.32	—

Table 4: Properties VPinit_{AP}, VCinit_{AP}, and SCinit_{AP} for PAM with $K = 5$

Prop.	Usage	OverallUsage					StackedBars					PeriodSelector					Stats				
		month					AP1					AP1					AP1				
		AP1	AP2	AP3	AP4	AP5	AP1	AP2	AP3	AP4	AP5	AP1	AP2	AP3	AP4	AP5	AP1	AP2	AP3	AP4	AP5
VPinit	[0,1]	0.99	0.99	0.20	0.99	0.99	0.00	0.06	0.99	0.00	0.00	0.00	0.00	0.99	0.00	0.30	0.99	0.78	0.00	0.00	0.99
	[0,7]	0.99	1.00	0.98	0.99	0.02	0.32	0.18	0.00	0.77	0.99	0.01	0.00	0.00	0.00	0.99	0.18	0.79	0.99	0.77	0.99
	[0,30]	0.99	0.95	1.00	0.78	0.98	0.16	0.57	0.00	0.99	0.84	0.00	0.81	0.00	0.87	0.00	0.99	0.23	0.77	0.52	0.71
	[30,60]	0.12	0.99	0.98	1.00	0.88	0.99	0.00	0.30	0.00	0.82	0.00	0.32	0.52	0.00	0.91	0.02	0.99	0.02	0.00	0.00
VCinit	[60,90]	0.95	1.00	0.92	0.00	0.92	0.42	0.00	0.81	0.99	0.79	0.33	0.00	0.59	0.09	0.99	0.00	0.00	0.92	0.00	0.74
	[0,1]	8.43	11.85	0.63	5.50	5.04	0.00	0.06	7.53	0.00	0.00	0.00	0.00	8.13	0.00	0.36	5.36	1.74	0.00	0.00	8.16
	[0,7]	20.00	13.15	3.60	5.38	0.03	0.43	0.19	0.00	1.44	5.09	0.01	0.00	0.00	0.00	10.29	0.33	1.54	5.85	1.53	0.26
	[0,30]	7.69	12.85	13.38	1.65	5.64	0.21	1.02	0.00	8.82	1.81	0.00	5.23	0.00	2.51	0.00	6.48	1.01	1.45	0.74	1.50
SCinit	[30,60]	0.13	5.42	18.94	12.42	3.41	12.94	0.00	0.25	0.00	2.21	0.00	0.37	2.93	0.00	1.77	0.05	8.61	0.04	0.00	0.00
	[60,90]	19.43	12.88	7.73	0.00	3.89	0.72	0.00	2.33	11.48	1.59	0.52	0.00	0.76	0.31	6.62	0.00	0.00	7.73	0.00	2.05
	[0,1]	6.57	2.46	218.31	9.47	6.78	—	733.83	6.48	—	—	—	—	7.23	—	135.49	9.15	33.32	—	—	4.11
	[0,7]	4.13	1.97	11.36	9.58	1738.06	161.62	249.68	—	34.29	8.95	5254.54	—	—	—	6.60	237.40	32.15	6.75	34.55	500.08
SCinit	[0,30]	5.63	14.44	1.94	32.98	9.42	226.06	64.32	—	3.81	27.39	—	26.22	—	24.10	—	6.64	167.10	34.16	68.40	41.02
	[30,60]	391.73	—	9.86	1.97	21.76	1.97	—	552.71	—	30.63	—	130.52	142.57	—	20.47	—	—	—	—	—
	[60,90]	11.54	1.92	12.71	—	18.80	317.33	—	30.92	3.07	31.71	489.84	—	58.29	492.71	7.54	—	—	13.71	—	36.17

Table 5: Properties VPinitAP, VCinitAP, SCinitAP instantiated for UseStop in PAM

Prop.	Time interval	K=2			K=3			K=4				K=5			
		AP1	AP2	AP1	AP2	AP3	AP1	AP2	AP3	AP4	AP1	AP2	AP3	AP4	AP5
VPinit	[0,1]	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99
	[0,7]	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.85	0.99	0.89	1.00	0.99	0.99	0.99
	[0,30]	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	1.00	0.99	0.91	1.00	0.99	0.99
	[30,60]	0.99	0.99	1.00	0.99	0.96	1.00	0.87	0.99	0.98	0.99	0.99	0.68	1.00	0.96
	[60,90]	0.99	0.99	0.99	0.99	0.86	0.98	1.00	0.20	0.99	0.38	1.00	0.90	0.99	0.99
VCinitAP	[0,1]	8.54	5.23	4.64	6.46	9.92	8.16	4.29	10.08	6.82	5.45	11.54	5.03	8.18	8.45
	[0,7]	9.27	5.67	5.60	10.17	6.69	7.27	2.31	7.63	10.46	2.37	11.89	8.52	7.69	7.40
	[0,30]	5.65	8.99	5.74	6.73	10.08	7.01	7.34	11.26	7.67	7.21	3.01	11.78	9.79	7.88
	[30,60]	8.82	5.37	11.87	6.08	4.95	12.07	2.08	10.86	4.89	12.26	5.10	1.53	12.09	7.00
	[60,90]	10.29	5.59	10.73	10.39	2.24	4.18	11.66	0.24	10.70	0.58	12.09	2.38	11.04	5.29
SCinitAP	[0,1]	4.65	8.31	9.55	6.51	3.87	4.95	10.39	3.81	6.05	7.98	3.21	8.41	4.93	4.73
	[0,7]	4.21	7.60	7.72	3.76	6.26	5.70	23.42	5.35	3.62	21.03	3.08	4.72	5.33	5.55
	[0,30]	7.64	4.39	7.48	6.24	3.80	5.94	—	3.30	5.35	5.68	17.76	3.11	3.96	5.18
	[30,60]	4.58	8.42	3.08	7.22	11.63	2.98	23.80	3.61	—	2.96	—	55.20	2.97	7.80
	[60,90]	3.75	7.94	3.54	3.74	22.93	11.05	3.16	—	3.57	358.44	3.00	20.84	3.41	8.28